## DT12 Rec'd PCT/PTO 28 JAN 2005

LCS-102/PCT/US

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

: Examiner: NYA

Zheng Lu, et al.

: Group Art Unit: NYA

Application No.: NYA

Confirmation No.: NYA

Filed: Concurently Herewith

For: HIGH-GLASS ROOM

TEMPERATURE CURABLE

WATER-BASED MOLD RELEASE:
AGENT

AGENT

January 28, 2005

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

## PRELIMINARY AMENDMENT

Sir:

Preliminary to examination on the merits, kindly amend the subject application as follows:

Kindly cancel Claims 6, 7, 8, 9, 10, 11, 12, 15, 17, 20 and 21, without prejudice or disclaimer of that which is defined thereby.

Applicants request a prompt and favorable examination of the subject application, based on the claims remaining in prosecution.

Applicants' undersigned attorney may be reached by telephone at (860) 571-5001 or by facsimile at (860) 571-5028. All correspondence should be directed to the address given below.

Respectfully submitted,

Steven C. Bauman

Attorney for Applicants Registration No. 33,832

HENKEL CORPORATION
Legal Department
1001 Trout Brook Crossing
Rocky Hill, Connecticut 06067